



# TEC/CIDE PLUS RTU

## Disinfectant Cleaner

### ACTIVE INGREDIENTS:

Alkyl (C<sub>14</sub>, 50%; C<sub>12</sub>, 40%; C<sub>16</sub>, 10%)

dimethyl benzyl ammonium chloride ..... 0.0375%

Octyl decyl dimethyl ammonium chloride ..... 0.0281%

Didecyl dimethyl ammonium chloride ..... 0.0189%

Diocetyl dimethyl ammonium chloride ..... 0.0141%

**OTHER INGREDIENTS:** ..... 99.9014%

**TOTAL:** ..... 100.0000%

### KEEP OUT OF REACH OF CHILDREN

## CAUTION

See Side Panel for First Aid and Additional  
Precautionary Statements

Manufactured and Sold By: Cornhusker State Industries

800 Pioneers Blvd. • Lincoln, NE 68502

800-348-7537 • 402-471-4597

csi.salesandmarketing@nebraska.gov

Net Contents: 12 x 1 Quart

EPA Reg. No.  
106-81-47359  
EPA Est. No.  
47359-NE-1

F-JS-403

### STAPHYLOCIDAL PSEUDOMONACIDAL VIRUCIDAL\* FUNGICIDAL MILDEWCDIAL

Tec/Cide Plus RTU is a "one-step" multi-purpose germicidal detergent effective in hard waters up to 400 ppm hard water (calculated as CaCO<sub>3</sub>) in the presence of 5% organic serum.

### PRECAUTIONARY STATEMENTS

#### HAZARDS TO HUMANS AND DOMESTIC ANIMALS

**CAUTION.** Causes moderate eye irritation. Harmful if swallowed or absorbed by the skin. Avoid contact with eye, skin, or clothing. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco or using the toilet. Remove and wash contaminated clothing before reuse.

#### FIRST AID

Have product container with you when calling a poison control center or doctor or going for treatment.

**IF ON SKIN:** Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice. **IF IN EYES:** Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing the eye. Call a poison control center or doctor for treatment advice. **IF SWALLOWED:** Call a poison control center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by a poison control center or doctor. Do not give anything by mouth to an unconscious person.

**NOTE TO PHYSICIAN:** Probable mucosal damage may contraindicate the use of gastric lavage.

#### STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal. **PESTICIDE**

**STORAGE:** Store in original container in areas inaccessible to small children. Keep container closed when not in use. **PESTICIDE DISPOSAL:** Pesticide wastes are acutely hazardous. Improper disposal of excess pesticide, spray mixture or rinsate is a violation of Federal Law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste Representative at

the nearest EPA Regional Office for guidance. **CONTAINER DISPOSAL:** Nonrefillable container. Do not reuse or refill this container. Triple rinse as follows: Fill container ¼ full with water and reclose the container. Agitate vigorously, and dispose of rinsate consistent with pesticide disposal instructions. Repeat two more times. Then offer for recycling if available or puncture and dispose in sanitary landfill or by other procedures approved by state and local authorities. Follow pesticide disposal instructions for rinsate. If not triple rinsed, these containers are acute hazardous wastes and must be disposed of in accordance with local, state, and federal regulations.

**See inside for  
directions for use  
and organisms.**